



**Company Name:** EZYCROP PTY LTD  
**Product Name:** Ezycrop Ammonium Sulphate Herbicide Adjuvant

**APVMA Approval No:** 81163/102456



<b>Label Name:</b>	Ezycrop Ammonium Sulphate Herbicide Adjuvant
<b>Signal Headings:</b>	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
<b>Constituent Statements:</b>	ACTIVE CONSTITUENT: 980 g/kg AMMONIUM SULPHATE
<b>Mode of Action:</b>	
<b>Statement of Claims:</b>	Ezycrop Ammonium Sulphate Herbicide Adjuvant is used with glyphosate based herbicide to minimise antagonism when tank mixing with flowable herbicides, and to improve performance under adverse environmental conditions.
<b>Net Contents:</b>	NET CONTENTS: 20 kg , 25 kg
<b>Restraints:</b>	
<b>Directions for Use:</b>	This section contains file attachment. <b>File Name:</b> DFU - Ezy AS - 0415.docx <b>File Size:</b> 16607 bytes
<b>Other Limitations:</b>	
<b>Withholding Periods:</b>	
<b>Trade Advice:</b>	

<b>General Instructions:</b>	<p>This section contains file attachment.</p> <p><b>File Name:</b> GI - Ezy As - 0415.docx</p> <p><b>File Size:</b> 16036 bytes</p>
------------------------------	---

<b>Resistance Warning:</b>	
----------------------------	--

<b>Precautions:</b>	
---------------------	--

<b>Protections:</b>	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>DO NOT contaminate streams, rivers or waterways with the chemical or used containers.</p>
---------------------	---

<b>Storage and Disposal:</b>	<p>STORAGE AND DISPOSAL</p> <p>KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.</p> <p>Single-rinse or shake remainder into spray tank. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>
------------------------------	--

<b>Safety Directions:</b>	<p>SAFETY DIRECTIONS</p> <p>Avoid contact with eyes and skin.</p>
---------------------------	---

<b>First Aid Instructions:</b>	<p>FIRST AID</p> <p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.</p>
--------------------------------	--

<b>First Aid Warnings:</b>	
----------------------------	--

**DIRECTIONS FOR USE:**

<b>SITUATION</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
1. Minimise antagonism to tank mixes with flowable herbicides.  2. Improve performance under adverse environmental conditions.	800 g/100 L of spray solution.	1. Half fill spray tank with clean water and start agitation. 2. Add Ezycrop Ammonium Sulphate Herbicide Adjuvant granules to spray tank. 3. With agitation still running, add the required flowable herbicide to the tank and mix thoroughly. 4. Add the required amount of Glyphosate based product and the remaining water; mix thoroughly. 5. Add surfactant, if required, near the end of the filling process to minimise foaming. 6. Always maintain adequate agitation during application and use the tank mix promptly.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## **GENERAL INSTRUCTIONS**

Ezycrop Ammonium Sulphate Herbicide Adjuvant should be used with non selective herbicides only, as with some selective herbicides use may result in loss of selectivity and therefore crop damage. Ammonium Sulphate may be corrosive to metal parts of the sprayer. Thoroughly flush tanks, pumps and nozzles with water after use.

Ezycrop Ammonium Sulphate Herbicide Adjuvant is a completely soluble product. However, in circumstances of high humidity this product may 'cake' when exposed to the air. Potential problems may include handling problems after the product is opened, storage problems, and problems with dissolution or blockage of spray nozzles in boom sprayer/equipment. To reduce the potential for caking, any opened, unused product should be immediately closed to limit exposure to the air. In the event that the product has caked, ensure the product is fully dissolved before spraying to avoid the potential for nozzle blockage. Dissolving the product through the top screen of the spray tank and ensuring the product is completely dissolved before spraying commences will eliminate the potential for nozzle blockage due to caked material.